VOLUME 81 · CONTENTS

No 1 JANUARY 1999

Page **Editorials**

1 The world wide web takes *Heart:* www.heartjnl.com M J Davies

2 Myocardial contrast echocardiography in acute myocardial infarction: time to test for routine clinical use? *S Kaul*

6 Radionuclide techniques for myocardial viability and hibernation *S Walton*

8 What is the role of revascularisation in ischaemic heart failure? *D Pagano, J N Townend, R S Bonser*

10 Lipid modification and coronary heart disease in type 2 diabetes: different from the general population? *M D Feher, R S Elkeles*

Papers

12 Acute assessment of microvascular perfusion patterns by myocardial contrast echocardiography during myocardial infarction: relation to timing and extent of functional recovery *D Czitrom, D Karila-Cohen, E Brochet, J M Juliard, M Faraggi, M-C Aumont, P Assayag, P G Steg*

17 Exercise four hour redistribution thallium-201 single photon emission computed tomography and exercise induced ST segment elevation in detecting the viable myocardium in patients with acute myocardial infarction *H Yamagishi, K Akioka, M Takagi, A Tanaka, K Takeuchi, J Yoshikawa, H Ochi*

25 β Blocker treatment and other prognostic variables in patients with clinical evidence of heart failure after acute myocardial infarction: evidence from the AIRE study *K S Spargias, A S Hall, D C Greenwood, S G Ball*

33 Ventricular dilatation in the absence of ACE inhibitors: influence of haemodynamic and neurohormonal variables following myocardial infarction *J T Walsh, P D Batin, M Hawkins, D McEntegart, A J Cowley*

40 Is the Framingham risk function valid for northern European populations? A comparison of methods for estimating absolute coronary risk in high risk men *I U Haq, L E Ramsay, W W Yeo, P R Jackson, E J Wallis*

47 Resuscitation from out-of-hospital cardiac arrest: is survival dependent on who is available at the scene? *L H Soo, D Gray, T Young, N Huff, A Skene, J R Hampton*

53 Two hour ambulation after coronary angioplasty and stenting with 6 F guiding catheters and low dose heparin *K T Koch, J J Piek, R J de Winter, K Mulder, C E Schotborgh, J G P Tijssen, K I Lie*

57 Outpatient clinics for adults with congenital heart disease: increasing workload and evolving patterns of referral *M A Gatzoulis, S Hechter, S C Siu, G D Webb*

62 Urgent homograft aortic root replacement for aortic root abscess in infants and children *R Chaturvedi, M de Leval, I D Sullivan*

67 Pulmonary and caval flow dynamics after total cavopulmonary connection *K Houlind, E V Stenbøg, K E Sørensen, K Emmertsen, O K Hansen, L Rybro, V E Hjortdal*

73 Electrophysiological determinant for induction of isthmus dependent counterclockwise and clockwise atrial flutter in humans *J-L Lin, L-P Lai, L-J Lin, Y-Z Tseng, W-P Lien, S K S Huang*

82 Pacemaker lead infection: echocardiographic features, management, and outcome *F Victor, C De Place, C Camus, H Le Breton, C Leclercq, D Pavin, P Mabo, C Daubert*

Case study

88 Pacemaker lead infection: report of three cases and review of the literature *J G Voet, Y R Vandekerckhove, L L Muyldermans, L H Missault, L J Matthys*

Case reports

92 Dystrophic calcification of the fetal myocardium *G R Veldtman, M E C Blackburn, G A Wharton, P daCosta, J L Gibbs*

94 Inappropriate shocks delivered by implantable cardiac defibrillators during oversensing of activity of diaphragmatic muscle *D Babuty, L Fauchier, P Cosnay*

97 Combined aortic and mitral stenosis in mucopolysaccharidosis type I-S (Ullrich-Scheie syndrome) *T A Fischer, H-A Lehr, U Nixdorff, J Meyer*

Stamps in cardiology (*Embryology of the heart*) (5) • Images in cardiology (24, 91) • Letters to the editor (100) • Notices (103) • Instructions to authors (104)

No 2 FEBRUARY 1999

Page **Editorials**

107 Training cardiologists in Europe *M C Petch*

109 Commotio cordis: sudden death due to chest wall impact in sports *M S Link*

111 Normal long axis function *M Y Henein, D G Gibson*

Papers

114 Neuroendocrine prediction of left ventricular function and heart failure after acute myocardial infarction *A M Richards, M G Nicholls, T G Yandle, H Ikram, E A Espiner, J G Turner, R C Buttimore, J G Lainchbury, J M Elliott, C Frampton, I G Crozier, D W Smyth (The Christchurch Cardioendocrine Research Group)*

121 Oxygen uptake kinetics during low level exercise in patients with heart failure: relation to neurohormones, peak oxygen consumption, and clinical findings *H P Brunner-La Rocca, D Weilenmann, F Follath, M Schlumpf, H Rickli, C Schalcher, F E Maly, R Candinas, W Kiowski*

128 Angiographic frame counts 90 minutes after streptokinase predict left ventricular function at 48 hours following myocardial infarction *J K French, I T Straznicky, B J Webber, P E Aylward, M J Frey, A A J Adgey, B F Williams, S C McLaughlin, H D White, for the HERO-1 Investigators*

134 Monocyte expression of tissue factor and adhesion molecules: the link with accelerated coronary artery disease in patients with chronic renal failure *N M Al-Saady, E W Leatham, S Gupta, J T C Kwan, J B Eastwood, C A Seymour*

141 Marked variation in the cardiomyopathy associated with Friedreich's ataxia *D P Dutka, J E Donnelly, P Nihoyannopoulos, C M Oakley, D J Nunez*

148 Clinical usefulness of ^{123}I meta-iodobenzylguanidine imaging in predicting the effectiveness of β blockers for patients with idiopathic dilated cardiomyopathy before and soon after treatment *H Kakuchi, T Sasaki, Y Ishida, K Komamura, K Miyatake*

VOLUME 81 · CONTENTS

No 1 JANUARY 1999

Page **Editorials**

1 The world wide web takes *Heart:* www.heartjnl.com M J Davies

2 Myocardial contrast echocardiography in acute myocardial infarction: time to test for routine clinical use? *S Kaul*

6 Radionuclide techniques for myocardial viability and hibernation *S Walton*

8 What is the role of revascularisation in ischaemic heart failure? *D Pagano, J N Townend, R S Bonser*

10 Lipid modification and coronary heart disease in type 2 diabetes: different from the general population? *M D Feher, R S Elkeles*

Papers

12 Acute assessment of microvascular perfusion patterns by myocardial contrast echocardiography during myocardial infarction: relation to timing and extent of functional recovery *D Czitrom, D Karila-Cohen, E Brochet, J M Juliard, M Faraggi, M-C Aumont, P Assayag, P G Steg*

17 Exercise four hour redistribution thallium-201 single photon emission computed tomography and exercise induced ST segment elevation in detecting the viable myocardium in patients with acute myocardial infarction *H Yamagishi, K Akioka, M Takagi, A Tanaka, K Takeuchi, J Yoshikawa, H Ochi*

25 β Blocker treatment and other prognostic variables in patients with clinical evidence of heart failure after acute myocardial infarction: evidence from the AIRE study *K S Spargias, A S Hall, D C Greenwood, S G Ball*

33 Ventricular dilatation in the absence of ACE inhibitors: influence of haemodynamic and neurohormonal variables following myocardial infarction *J T Walsh, P D Batin, M Hawkins, D McEntegart, A J Cowley*

40 Is the Framingham risk function valid for northern European populations? A comparison of methods for estimating absolute coronary risk in high risk men *I U Haq, L E Ramsay, W W Yeo, P R Jackson, E J Wallis*

47 Resuscitation from out-of-hospital cardiac arrest: is survival dependent on who is available at the scene? *L H Soo, D Gray, T Young, N Huff, A Skene, J R Hampton*

53 Two hour ambulation after coronary angioplasty and stenting with 6 F guiding catheters and low dose heparin *K T Koch, J J Piek, R J de Winter, K Mulder, C E Schotborgh, J G P Tijssen, K I Lie*

57 Outpatient clinics for adults with congenital heart disease: increasing workload and evolving patterns of referral *M A Gatzoulis, S Hechter, S C Siu, G D Webb*

62 Urgent homograft aortic root replacement for aortic root abscess in infants and children *R Chaturvedi, M de Leval, I D Sullivan*

67 Pulmonary and caval flow dynamics after total cavopulmonary connection *K Houlind, E V Stenbøg, K E Sørensen, K Emmertsen, O K Hansen, L Rybro, V E Hjortdal*

73 Electrophysiological determinant for induction of isthmus dependent counterclockwise and clockwise atrial flutter in humans *J-L Lin, L-P Lai, L-J Lin, Y-Z Tseng, W-P Lien, S K S Huang*

82 Pacemaker lead infection: echocardiographic features, management, and outcome *F Victor, C De Place, C Camus, H Le Breton, C Leclercq, D Pavin, P Mabo, C Daubert*

Case study

88 Pacemaker lead infection: report of three cases and review of the literature *J G Voet, Y R Vandekerckhove, L L Muyldermans, L H Missault, L J Matthys*

Case reports

92 Dystrophic calcification of the fetal myocardium *G R Veldtman, M E C Blackburn, G A Wharton, P daCosta, J L Gibbs*

94 Inappropriate shocks delivered by implantable cardiac defibrillators during oversensing of activity of diaphragmatic muscle *D Babuty, L Fauchier, P Cosnay*

97 Combined aortic and mitral stenosis in mucopolysaccharidosis type I-S (Ullrich-Scheie syndrome) *T A Fischer, H-A Lehr, U Nixdorff, J Meyer*

Stamps in cardiology (*Embryology of the heart*) (5) • Images in cardiology (24, 91) • Letters to the editor (100) • Notices (103) • Instructions to authors (104)

No 2 FEBRUARY 1999

Page **Editorials**

107 Training cardiologists in Europe *M C Petch*

109 Commotio cordis: sudden death due to chest wall impact in sports *M S Link*

111 Normal long axis function *M Y Henein, D G Gibson*

Papers

114 Neuroendocrine prediction of left ventricular function and heart failure after acute myocardial infarction *A M Richards, M G Nicholls, T G Yandle, H Ikram, E A Espiner, J G Turner, R C Buttimore, J G Lainchbury, J M Elliott, C Frampton, I G Crozier, D W Smyth (The Christchurch Cardioendocrine Research Group)*

121 Oxygen uptake kinetics during low level exercise in patients with heart failure: relation to neurohormones, peak oxygen consumption, and clinical findings *H P Brunner-La Rocca, D Weilenmann, F Follath, M Schlumpf, H Rickli, C Schalcher, F E Maly, R Candinas, W Kiowski*

128 Angiographic frame counts 90 minutes after streptokinase predict left ventricular function at 48 hours following myocardial infarction *J K French, I T Straznicky, B J Webber, P E Aylward, M J Frey, A A J Adgey, B F Williams, S C McLaughlin, H D White, for the HERO-1 Investigators*

134 Monocyte expression of tissue factor and adhesion molecules: the link with accelerated coronary artery disease in patients with chronic renal failure *N M Al-Saady, E W Leatham, S Gupta, J T C Kwan, J B Eastwood, C A Seymour*

141 Marked variation in the cardiomyopathy associated with Friedreich's ataxia *D P Dutka, J E Donnelly, P Nihoyannopoulos, C M Oakley, D J Nunez*

148 Clinical usefulness of ^{123}I meta-iodobenzylguanidine imaging in predicting the effectiveness of β blockers for patients with idiopathic dilated cardiomyopathy before and soon after treatment *H Kakuchi, T Sasaki, Y Ishida, K Komamura, K Miyatake*

153 Assessment of myocardial fatty acid metabolic abnormalities in patients with idiopathic dilated cardiomyopathy using ^{123}I BMIPP SPECT: correlation with clinicopathological findings and clinical course
Y Yazaki, M Isobe, W Takahashi, H Kitabayashi, O Nishiyama, M Sekiguchi, T Takemura
160 Haemolysis following implantation of duct occlusion coils *O Uzun, G R Veldtman, D F Dickinson, J M Parsons, M E C Blackburn, J L Gibbs*
162 Sustained high pressure double balloon angioplasty of calcified conduits *N Sreeram, P Hutter, E Silove*
166 Middle aortic syndrome treated by stent implantation *G Brzezinska-Rajszys, S A Qureshi, J Ksiazyk, M Zubrzycka, A Kosciesza, K Kubicka, M Tynan*
171 Effects of reconstructive surgery for left ventricular anterior aneurysm on ventriculoarterial coupling *F Fantini, G Barletta, A Toso, M Baroni, M Di Donato, M Sabatier, V Dor*
177 Comparison of long term outcome in patients with or without aortic ring abscess treated surgically for aortic valve infective endocarditis *N Danchin, G Retournay, O Stchepinsky, C Selton-Suty, P Voiriot, B Hoen, P Canton, J-P Villemot, P Mathieu, F Cherrier*
182 Myoarchitecture and connective tissue in hearts with tricuspid atresia *D Sanchez-Quintana, V Climent, S Y Ho, R H Anderson*
192 Imaging of thrombi and assessment of left atrial appendage function: a prospective study comparing transthoracic and transoesophageal echocardiography *H Omran, W Jung, R Rabahieh, P Wirtz, H Becher, S Illien, R Schimpf, B Lüderitz*
199 Cross sectional echocardiographic assessment of the extent of the atrial septum relative to the atrioventricular junction in atrioventricular septal defect *S Falcão, L Daliento, S Y Ho, M L Rigby, R H Anderson*
206 In vitro validation of the luminal measurement of a novel catheter based moulding technique *S C Eccleshall, P J Jordan, N P Buller, J N Townend*

Brief report

212 Disparity between studies of the stability of BNP in blood: comparison of endogenous and exogenous peptide *D R Murdoch, J Byrne, R Farmer, J J Morton*

Case reports

214 Giant aneurysm of the left main coronary artery in Takayasu aortitis *H Suzuki, H Daida, M Tanaka, H Sato, S Kawai, H Sakurai, H Yamaguchi*
218 Intravascular stenting of systemic venous baffle stenosis after corrective surgery for double outlet right ventricle with left isomerism *T Miura, T Sano, H Matsuda*
221 Chloroquine cardiomyopathy with conduction disorders *J-P Baguet, F Tremel, M Fabre*

Stamps in cardiology (*Instituto Nacional de Cardiologia Ignacio Chavez*) (110) • Images in cardiology (181, 205, 217) • Letters to the editor (224)

No 3 MARCH 1999

Page **Editorials**
225 Pregnancy in women with congenital heart defects: what are the risks? *S Siu, D Chitayat, G Webb*
227 The era of transcatheter closure of atrial septal defects *M L Rigby*
229 Long axis function in disease *M Y Henein, D G Gibson*

Review

232 *Chlamydia pneumoniae* and atherosclerosis *Y-K Wong, P J Gallagher, M E Ward*

Papers

239 *Chlamydia pneumoniae* antibodies are associated with an atherogenic lipid profile *L J Murray, D P J O'Reilly, G M L Ong, C O'Neill, A E Evans, K B Bamford*
245 Chronic infection with *Helicobacter pylori, Chlamydia pneumoniae,* or cytomegalovirus: population based study of coronary heart disease *J Danesh, Y Wong, M Ward, J Muir*
248 Cytomegalovirus seropositivity and incident ischaemic heart disease in the Caerphilly prospective heart disease study *D P Strachan, D Carrington, M A Mendall, B K Butland, P M Sweetnam, P C Elwood*
252 Geographic, demographic, and socioeconomic variations in the investigation and management of coronary heart disease in Scotland *M C M MacLeod, A R Finlayson, J P Pell, I N Findlay*
257 Transcatheter closure of patent foramen ovale using the Amplatzer septal occluder to prevent recurrence of neurological decompression illness in divers *K P Walsh, P T Wilmshurst, W L Morrison*
262 Regional patterns of myocardial sympathetic denervation in dilated cardiomyopathy: an analysis using carbon-11 hydroxyephedrine and positron emission tomography *F Hartmann, S Ziegler, S Nekolla, M Hadamitzky, M Seyfarth, G Richardt, M Schwaiger*
271 Outcome of pregnancy in women with congenital shunt lesions *M Zuber, N Gautschi, E Oechslin, V Widmer, W Kiowski, R Jenni*
276 Pregnancy after atrial repair for transposition of the great arteries *M Genoni, R Jenni, S P Hoerstrup, P Vogt, M Turina*
278 Endogenous plasma endothelin concentrations and coronary circulation in patients with mild dilated cardiomyopathy *M Mundhenke, B Schwartzkopff, M Köstering, U Deska, R M Klein, B E Strauer*
285 Effect of coronary occlusion on left ventricular function with and without collateral supply during beating heart coronary artery surgery *T W Koh, G S Carr-White, A C DeSouza, F D Ferdinand, J R Pepper, D G Gibson*
292 Frequency and long term follow up of valvar insufficiency caused by retrograde aortic radiofrequency catheter ablation procedures *A Olsson, B Darpö, L Bergfeldt, M Rosenqvist*
297 QT dispersion in patients with chronic heart failure: β blockers are associated with a reduction in QT dispersion *C E Bonnar, A P Davie, L Caruana, L Fenn, S A Ogston, J J V McMurray, A D Struthers*
303 Expression of skeletal muscle sarcoplasmic reticulum calcium-ATPase is reduced in rats with postinfarction heart failure *A Simonini, K Chang, P Yue, C S Long, B M Massie*

Case studies

308 Chronic radiodermatitis following cardiac catheterisation: a report of two cases and a brief review of theliterature *L Dehen, C Vilmer, C Humiliàre, T Corcos, D Pentousis, L Ollivaud, D Chatelain, L Dubertret*
313 Tachyarrhythmias triggered by swallowing and belching *P T Wilmshurst*

Case reports

316 Recurring myocardial infarction in a 35 year old woman *I Bux-Gewehr, A Nacke, G E Feurle*

318 AV reentrant and idiopathic ventricular double tachycardias: complicated interactions between two tachycardias *T Washizuka, S Niwano, K Tsuchida, Y Aizawa*

321 Tachycardia induced tachycardia: case report of right ventricular outflow tract tachycardia and AV nodal reentrant tachycardia *M Cooklin, J M McComb*

323 ECG diagnosis of native heart ventricular tachycardia in a heterotopic heart transplant recipient *M Vanderheyden, J de Sutter, M Goethals*

325 Cardiocutaneous fistula *P G Danias, T Lehman, T Kartis, J C Missri*

Short cases in cardiology

327 Congenital pericardial defect presenting as chest pain *R A Rusk, A Kenny*

329 Contrast echocardiography during pericardiocentesis *T R Betts, J R Radvan*

Stamps in cardiology (*Echocardiography*) (231) • Images in cardiology (251, 270, 302, 320) • Letters to the editor (330) • Correction (330)

No 4 APRIL 1999

Page **Editorials**

331 The measurement of health related quality of life *T Treasure*

333 Identification and treatment of patients with atrial fibrillation in primary care *R Hobbs*

335 New British recommendations for prevention of coronary heart disease in clinical practice *O Faergeman*

Review

336 Potential interests of heart rate lowering drugs *T Laperche, D Logeart, A Cohen-Solal, R Gourgon*

Papers

342 Determinants of an impaired quality of life five years after coronary artery bypass surgery *J Herlitz, I Wiklund, K Caidahl, B W Karlson, H Sjöland, M Hartford, M Haglid, T Karlsson*

347 Prospective study of health related quality of life before and after coronary artery bypass grafting: outcome at five years *N Caine, L D Sharples, J Wallwork*

352 Quality of life four years after acute myocardial infarction: short form 36 scores compared with a normal population *N Brown, M Melville, D Gray, T Young, J Munro, A M Skene, J R Hampton*

359 Changes in cardiorespiratory fitness, psychological wellbeing, quality of life, and vocational status following a 12 month cardiac exercise rehabilitation programme *L D Dugmore, R J Tipson, M H Phillips, E J Flint, N H Stemiford, M F Bone, W A Littler*

367 Priority points and cardiac events while waiting for coronary bypass surgery *N W Jackson, M P Doogue, J M Elliott*

374 Role of risk factors for major coronary heart disease events with increasing length of follow up *S G Wannamethee, A G Shaper, P H Whincup, M Walker*

380 Contribution of modern cardiovascular treatment and risk factor changes to the decline in coronary heart disease mortality in Scotland between 1975 and 1994 *S Capewell, C E Morrison, J J McMurray*

387 Management of non-cardiac chest pain: from research to clinical practice *R A Mayou, C M Bass, B M Bryant*

393 Coronary artery stenting in unstable angina pectoris: a comparison with stable angina pectoris *P B M Clarkson, M Halim, K K Ray, S Doshi, M Been, H Singh, M F Shiu*

398 The functional significance of chronotropic incompetence during dobutamine stress test *A Elhendy, R T van Domburg, J J Bax, P R Nierop, M L Geleijnse, M M Ibrahim, J R T C Roelandt*

404 Effect of repetitive episodes of exercise induced myocardial ischaemia on left ventricular function in patients with chronic stable angina: evidence for cumulative stunning or ischaemic preconditioning? *C A Rinaldi, N D Masani, A Z Linka, R J Hall*

412 Arterial thromboembolism in patients with sick sinus syndrome: prediction from pacing mode, atrial fibrillation, and echocardiographic findings *H R Andersen, J C Nielsen, P E B Thomsen, L Thuesen, A K Pedersen, P T Mortensen, T Vesterlund*

419 Early detection of anthracycline induced cardiotoxicity in asymptomatic patients with normal left ventricular systolic function: autonomic versus echocardiographic variables *G Tjeerdsma, M T Meinardi, W T A van der Graaf, M P van den Berg, N H Mulder, H J G M Crijns, E G E de Vries, D J van Veldhuisen*

424 Spontaneous late improvement of myocardial viability in the chronic infarct zone is possible, depending on persistent TIMI 3 flow and a low grade stenosis of the infarct artery *M Faraggi, G Montalescot, L Sarda, J F Heintz, D Doumit, G Drobinski, I Sotirov, D Le Guludec, D Thomas*

Technology

431 Implantable loop recorder: evaluation of unexplained syncope *R A Kenny, A D Krahn*

Case study

434 Platelet IIb/IIIa antagonists followed by delayed stent implantation. A new treatment for vein graft lesions containing massive thrombus *N Robinson, K Barakat, D Dymond*

Case reports

438 Transcatheter closure of a mid-muscular ventricular septal defect with an Amplatzer VSD occluder device *M Tofeig, R G Patel, K P Walsh*

441 Diagnostic utility of metabolic exercise testing in a patient with cardiovascular disease *P M Elliott, M G Hanna, S A Ward, P F Chinnery, D M Turnbull, N W Wood, W J McKenna*

Short cases in cardiology

444 Dilated cardiomyopathy in thyrotoxicosis *S Goland, S Shimoni, O Kracoff*

445 Non-surgical CHOP cures right ventricular outflow obstruction *J P J Halcox*

447 Isolated unruptured aneurysm of the right sinus of Valsalva causing right ventricular outflow obstruction *K M J Marques, C C De Cock, C A Visser*

Stamps in cardiology (*Phonocardiography*) (334) • Images in cardiology (351, 430, 433, 448) • Letters to the editor (450) • Correction (452)

No 5 MAY 1999

Page **Editorials**

453 Introducing new treatments in clinical practice: the Italian approach to β blockers in heart failure *A P Maggioni, L Tavazzi*

455 A Napoleonic future for cardiology? *P Sleight*

456 Opening the window of opportunity: encouraging patients to stop smoking *R Richmond*

459 Wine and health *J-P Broustet*

Papers

461 Audit of cardiac catheterisation in a district general hospital: implications for training *L D R Smith, G Spyer, J W Dean*

465 Diagnostic cardiac catheterisation in a hospital without on-site cardiac surgery *H D Papaconstantinou, A J Marshall, C J Burrell*

470 Appropriateness of referral of coronary angiography patients in Sweden *S J Bernstein, B Brorsson, T Aberg, H Emanuelsson, R H Brook, L Wêrkö, on behalf of the SECOR/SBU Project Group*

478 Hospital mortality of acute myocardial infarction in the thrombolytic era *N G Mahon, C O'Rorke, M B Codd, H A McCann, K McGarry, D D Sugrue*

483 Plasma adrenomedullin as an indicator of prognosis after acute myocardial infarction *N Nagaya, T Nishikimi, M Uematsu, Y Yoshitomi, Y Miyao, S Miyazaki, Y Goto, S Kojima, M Kuramochi, H Matsuo, K Kangawa, H Nonogi*

488 High apolipoprotein AI concentrations are associated with lower mortality and myocardial infarction five years after coronary artery bypass graft surgery *J S Skinner, M Farrer, C J Albers, H A W Neil, P C Adams*

495 Intraoperative cardiac troponin T release and lactate metabolism during coronary artery surgery: comparison of beating heart with conventional coronary artery surgery with cardiopulmonary bypass *T W Koh, G S Carr-White, A C DeSouza, F D Ferdinand, J Hooper, M Kemp, D G Gibson, J R Pepper*

501 Abnormalities of vascular endothelial function may contribute to increased coronary heart disease risk in UK Indian Asians *J C Chambers, A McGregor, J Jean-Marie, J S Kooner*

505 Effects of L- and D-arginine on the basal tone of human diseased coronary arteries and their responses to substance P *D Tousoulis, C Tentolouris, T Crake, G Katsimaglis, C Stefanadis, P Toutouzas, G J Davies*

512 Effects of L-arginine on lower limb vasodilator reserve and exercise capacity in patients with chronic heart failure *Y Kanaya, M Nakamura, N Kobayashi, K Hiramori*

518 Methylene tetrahydrofolate reductase genotype and the risk and extent of coronary artery disease in a population with low plasma folate *S L Tokgözoğlu, M Alikaşifoğlu, İ Ünsal, E Atalar, K Aytemir, N Özer, K Övünç, Ö Usal, S Kes, E Tunçbilek*

523 Low dose dobutamine stress echocardiography predicts the improvement of left ventricular systolic function in dilated cardiomyopathy *H Kitaoka, J Takata, T Yabe, N Hitomi, T Furuno, Y L Doi*

528 Long lasting spasticity in controlled vasospastic angina *O Ueda, K Kohchi, Y Kishi, F Numano*

533 QT dispersion is not related to infarct size or inducibility in patients with coronary artery disease and life threatening ventricular arrhythmias *J De Sutter, R Tavernier, C Van de Wiele, J De Backer, J Kazmierczak, G De Backer, R Dierckx, L Jordaens*

539 The feasibility of complete anatomical correction in the setting of discordant atrioventricular connections *C Alwa, E Horowitz, S Y Ho, M L Rigby, R H Andersons*

Guidelines

546 Investigation and management of stable angina: revised guidelines 1998 *D de Bono, for the Joint Working Party of the British Cardiac Society and Royal College of Physicians of London*

Case report

556 Primary right atrial angiosarcoma mimicking acute pericarditis, pulmonary embolism, and tricuspid stenosis *K Ananthasubramaniam, A Farha*

Short cases in cardiology

559 Suppurative pancarditis: a lethal complication of coronary stent implantation *P H Grewe, A Machraoui, T Deneke, K-M Müller*

Stamps in cardiology (*Aspirin*) (458) • **Images in cardiology (538, 560)** • **Letters to the editor (561)**

No 6 JUNE 1999

Page **Editorials**

563 Managing waiting lists for cardiac surgery *C Sherlaw-Johnson*

564 Death on the waiting list for cardiac surgery *B Bridgewater*

565 Management of unstable angina: what role intervention, ask the RITA-3 trialists? *S Kennon, A Timmis*

567 Ventricular tachycardia: is it a burning issue? *S S Furniss, R W F Campbell*

Papers

570 Mapping and ablation of ventricular tachycardia with the aid of a non-contact mapping system *R J Schilling, N S Peters, D W Davies*

576 Randomised comparison of electrode positions for cardioversion of atrial fibrillation *T P Mathew, A Moore, M McIntyre, M T Harbinson, N P S Campbell, A A J Adgey, G W N Dalzell*

580 Development of sinus node disease in patients with AV block: implications for single lead VDD pacing *U K H Wiegand, F Bode, R Schneider, A Brandes, H Haase, H A Katus, J Potratz*

586 Waiting times and prioritisation for coronary artery bypass surgery in New Zealand *M E Seddon, J K French, D J Amos, K Ramanathan, S C McLaughlin, H D White*

593 Death on the waiting list for cardiac surgery in the Netherlands in 1994 and 1995 *J Plomp, W K Redekop, F W Dekker, T R van Geldorp, M M P Haalebos, G Jambroes, J H Kingma, F Zijlstra, J G P Tijssen*

598 Relevance of clinical trial results in myocardial infarction to medical practice: comparison of four year outcome in participants of a thrombolytic trial, patients receiving routine thrombolysis, and those deemed ineligible for thrombolysis *N Brown, M Melville, D Gray, T Young, A M Skene, R G Wilcox, J R Hampton*

603 Comparing two different protocols for tilt table testing: sublingual glyceryl trinitrate versus isoprenaline infusion *S Oraii, M Maleki, M Minooii, P Kafaii*

606 Does the addition of losartan improve the beneficial effects of ACE inhibitors in patients with anterior myocardial infarction? A pilot study *P Di Pasquale, V Bucca, S Scalzo, S Cannizzaro, A Giubilato, S Paterna*

612 Correlation of heart rate variability with cardiac functional and metabolic variables in cyclists with training induced left ventricular hypertrophy *B M Pluim, C A Swenne, A H Zwinderman, A C Maan, A van der Laarse, J Doornbos, E E Van der Wall*

618 Pulmonary function and respiratory muscle strength in chronic heart failure: comparison between ischaemic and idiopathic dilated cardiomyopathy *M Daganou, I Dimopoulou, P A Alivizatos, G E Tzelepis*

621 Screening of ruptured plaques in patients with coronary artery disease by intravascular ultrasound *J Ge, F Chirillo, J Schwedtmann, G Görge, M Haude, D Baumgart, V Shah, C von Birgelen, S Sack, H Boudoulas, R Erbel*

628 Validation of minimally invasive measurement of myocardial perfusion using electron beam computed tomography and application in human volunteers *M R Bell, L O Lerman, J A Rumberger*

636 Evaluation of myocardial, hepatic, and renal perfusion in a variety of clinical conditions using an intravenous ultrasound contrast agent (Optison) and second harmonic imaging *J Hancock, H Dittrich, D E Jewitt, M J Monaghan*

642 Lung perfusion studies after detachable coil occlusion of persistent arterial duct *N Sreeram, M Tofeig, K P Walsh, P Hutter*

646 Pattern of pulmonary venous blood flow in the hypoplastic left heart syndrome in the fetus *D J Better, H D Apfel, V Zidere, L D Allan*

650 Accuracy of electrocardiographic and echocardiographic indices in predicting life threatening ventricular arrhythmias in patients operated for tetralogy of Fallot *L Daliento, G Rizzoli, L Menti, M C Baratella, P Turrini, A Nava, S Dalla Volta*

656 Reduced heart rate variability following repair of tetralogy of Fallot *K A McLeod, W S Hillis, A B Houston, N Wilson, A Trainer, J Neilson, W B Doig*

661 Prenatal diagnosis of right ventricular outflow tract obstruction with intact ventricular septum, and detection of ventriculocoronary connections *Y V Maeno, C Boutin, L K Hornberger, B W McCrindle, T Cavallé-Garrido, G Gladman, J F Smallhorn*

Case report

669 Eosinophilic myocarditis associated with dense deposits of eosinophil cationic protein (ECP) in endomyocardium with high serum ECP *M Arima, T Kanoh*

Short cases in cardiology

672 A novel use of an Amplatzer septal occluder *S A Hope, J Partridge, Z Slavik*

Stamps in cardiology *(Miniature sheets (1))* (569) • Images in cardiology (660, 671) • Letters to the editor (674) • Notices (676)